

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Work RVU	2020 Final Work RVU	Work RVU Difference	Work RVU % Change	2019 Non-Facility PE RVU	2020 Final Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2019 Facility PE RVUs	2020 Final Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
43197		Esophagoscopy flex dx brush	1.52	1.52	0.00	0%	3.57	3.75	0.18	5%	0.63	0.63	0.00	0%
43198		Esophagosc flex trnsn biopy	1.82	1.82	0.00	0%	3.79	4.00	0.21	6%	0.77	0.78	0.01	1%
43200		Esophagoscopy flexible brush	1.42	1.42	0.00	0%	4.86	5.26	0.40	8%	0.89	0.89	0.00	0%
43201		Esoph scope w/submucous inj	1.72	1.72	0.00	0%	4.58	4.93	0.35	8%	1.02	1.02	0.00	0%
43202		Esophagoscopy flex biopsy	1.72	1.72	0.00	0%	7.19	7.69	0.50	7%	1.03	1.02	-0.01	-1%
43204		Esoph scope w/sclerosis inj	2.33	2.33	0.00	0%	NA	NA	NA	NA	1.33	1.31	-0.02	-2%
43205		Esophagus endoscopy/ligation	2.44	2.44	0.00	0%	NA	NA	NA	NA	1.37	1.36	-0.01	-1%
43206		Esoph optical endomicroscopy	2.29	2.29	0.00	0%	5.26	5.60	0.34	6%	1.31	1.29	-0.02	-2%
43210		Egd esophagogastrc fndoplsty	7.75	7.75	0.00	0%	NA	NA	NA	NA	3.51	3.50	-0.01	0%
43211		Esophagoscop mucosal resect	4.20	4.20	0.00	0%	NA	NA	NA	NA	2.08	2.13	0.05	2%
43212		Esophagoscop stent placement	3.40	3.40	0.00	0%	NA	NA	NA	NA	1.54	1.52	-0.02	-1%
43213		Esophagoscopy retro balloon	4.63	4.63	0.00	0%	28.54	29.72	1.18	4%	2.26	2.21	-0.05	-2%
43214		Esophagosc dilate balloon 30	3.40	3.40	0.00	0%	NA	NA	NA	NA	1.74	1.75	0.01	1%
43215		Esophagoscopy flex remove fb	2.44	2.44	0.00	0%	7.74	8.16	0.42	5%	1.30	1.29	-0.01	-1%
43216		Esophagoscopy lesion removal	2.30	2.30	0.00	0%	8.06	8.62	0.56	7%	1.29	1.29	0.00	0%
43217		Esophagoscopy snare les remv	2.80	2.80	0.00	0%	7.94	8.33	0.39	5%	1.48	1.52	0.04	3%
43220		Esophagoscopy balloon <30mm	2.00	2.00	0.00	0%	27.30	26.53	-0.77	-3%	1.15	1.14	-0.01	-1%
43226		Esoph endoscopy dilation	2.24	2.24	0.00	0%	6.99	7.63	0.64	9%	1.20	1.19	-0.01	-1%
43227		Esophagoscopy control bleed	2.89	2.89	0.00	0%	14.51	14.48	-0.03	0%	1.56	1.54	-0.02	-1%
43229		Esophagoscopy lesion ablate	3.49	3.49	0.00	0%	15.13	15.91	0.78	5%	1.81	1.79	-0.02	-1%
43231		Esophagoscop ultrasound exam	2.80	2.80	0.00	0%	6.66	NA	NA	NA	1.52	1.51	-0.01	-1%
43232		Esophagoscopy w/us needle bx	3.59	3.59	0.00	0%	7.88	NA	NA	NA	1.81	1.81	0.00	0%
43235		Egd diagnostic brush wash	2.09	2.09	0.00	0%	5.24	5.63	0.39	7%	1.21	1.19	-0.02	-2%
43233		Egd balloon dil esoph30 mm/>	4.07	4.07	0.00	0%	NA	NA	NA	NA	2.00	1.98	-0.02	-1%
43236		Uppr gi scope w/submuc inj	2.39	2.39	0.00	0%	7.30	7.99	0.69	9%	1.34	1.33	-0.01	-1%
43237		Endoscopic us exam esoph	3.47	3.47	0.00	0%	NA	NA	NA	NA	1.82	1.80	-0.02	-1%
43238		Egd us fine needle bx/aspir	4.16	4.16	0.00	0%	NA	NA	NA	NA	2.12	2.10	-0.02	-1%
43239		Egd biopsy single/multiple	2.39	2.39	0.00	0%	7.48	7.96	0.48	6%	1.34	1.32	-0.02	-1%
43240		Egd w/transmural drain cyst	7.15	7.15	0.00	0%	NA	NA	NA	NA	3.43	3.40	-0.03	-1%
43241		Egd tube/cath insertion	2.49	2.49	0.00	0%	NA	NA	NA	NA	1.33	1.32	-0.01	-1%
43242		Egd us fine needle bx/aspir	4.73	4.73	0.00	0%	NA	NA	NA	NA	2.37	2.36	-0.01	0%
43243		Egd injection varices	4.27	4.27	0.00	0%	NA	NA	NA	NA	2.11	2.10	-0.01	0%
43244		Egd varices ligation	4.40	4.40	0.00	0%	NA	NA	NA	NA	2.22	2.21	-0.01	0%
43245		Egd dilate stricture	3.08	3.08	0.00	0%	12.69	13.30	0.61	5%	1.60	1.59	-0.01	-1%
43246		Egd place gastrostomy tube	3.56	3.56	0.00	0%	NA	NA	NA	NA	1.75	1.73	-0.02	-1%
43247		Egd remove foreign body	3.11	3.11	0.00	0%	6.70	7.08	0.38	6%	1.64	1.62	-0.02	-1%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Work RVU	2020 Final Work RVU	Work RVU Difference	Work RVU % Change	2019 Non-Facility PE RVU	2020 Final Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2019 Facility PE RVUs	2020 Final Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
43248		Egd guide wire insertion	2.91	2.91	0.00	0%	7.23	7.84	0.61	8%	1.57	1.55	-0.02	-1%
43249		Esoph egd dilation <30 mm	2.67	2.67	0.00	0%	26.96	28.07	1.11	4%	1.46	1.44	-0.02	-1%
43250		Egd cautery tumor polyp	2.97	2.97	0.00	0%	8.36	8.94	0.58	7%	1.54	1.53	-0.01	-1%
43251		Egd remove lesion snare	3.47	3.47	0.00	0%	9.11	9.71	0.60	7%	1.81	1.79	-0.02	-1%
43252		Egd optical endomicroscopy	2.96	2.96	0.00	0%	5.58	5.92	0.34	6%	1.57	1.55	-0.02	-1%
43253		Egd us transmural injxn/mark	4.73	4.73	0.00	0%	NA	NA	NA	NA	2.37	2.36	-0.01	0%
43254		Egd endo mucosal resection	4.87	4.87	0.00	0%	NA	NA	NA	NA	2.42	2.41	-0.01	0%
43255		Egd control bleeding any	3.56	3.56	0.00	0%	14.75	14.74	-0.01	0%	1.86	1.84	-0.02	-1%
43257		Egd w/thrml txmnt gerd	4.15	4.15	0.00	0%	NA	NA	NA	NA	2.07	2.06	-0.01	0%
43259		Egd us exam duodenum/jejunum	4.04	4.04	0.00	0%	NA	NA	NA	NA	2.08	2.06	-0.02	-1%
43266		Egd endoscopic stent place	3.92	3.92	0.00	0%	NA	NA	NA	NA	1.91	1.89	-0.02	-1%
43270		Egd lesion ablation	4.01	4.01	0.00	0%	15.13	15.90	0.77	5%	2.05	2.03	-0.02	-1%
43260		Ercp w/specimen collection	5.85	5.85	0.00	0%	NA	NA	NA	NA	2.86	2.84	-0.02	-1%
43261		Endo cholangiopancreatograph	6.15	6.15	0.00	0%	NA	NA	NA	NA	2.99	2.97	-0.02	-1%
43262		Endo cholangiopancreatograph	6.50	6.50	0.00	0%	NA	NA	NA	NA	3.15	3.13	-0.02	-1%
43263		Ercp sphincter pressure meas	6.50	6.50	0.00	0%	NA	NA	NA	NA	3.14	3.13	-0.01	0%
43264		Ercp remove duct calculi	6.63	6.63	0.00	0%	NA	NA	NA	NA	3.20	3.18	-0.02	-1%
43265		Ercp lithotripsy calculi	7.93	7.93	0.00	0%	NA	NA	NA	NA	3.76	3.74	-0.02	-1%
43273		Endoscopic pancreatoscopy	2.24	2.24	0.00	0%	NA	NA	NA	NA	0.97	0.98	0.01	1%
43274		Ercp duct stent placement	8.48	8.48	0.00	0%	NA	NA	NA	NA	4.00	3.98	-0.02	-1%
43275		Ercp remove forgn body duct	6.86	6.86	0.00	0%	NA	NA	NA	NA	3.30	3.27	-0.03	-1%
43276		Ercp stent exchange w/dilate	8.84	8.84	0.00	0%	NA	NA	NA	NA	4.16	4.14	-0.02	0%
43277		Ercp ea duct/ampulla dilate	6.90	6.90	0.00	0%	NA	NA	NA	NA	3.32	3.29	-0.03	-1%
43278		Ercp lesion ablate w/dilate	7.92	7.92	0.00	0%	NA	NA	NA	NA	3.75	3.74	-0.01	0%
44360		Small bowel endoscopy	2.49	2.49	0.00	0%	NA	NA	NA	NA	1.39	1.38	-0.01	-1%
44361		Small bowel endoscopy/biopsy	2.77	2.77	0.00	0%	NA	NA	NA	NA	1.52	1.50	-0.02	-1%
44363		S bowel endoscope/foreign body	3.39	3.39	0.00	0%	NA	NA	NA	NA	1.77	1.76	-0.01	-1%
44364		Small bowel endoscopy/snare	3.63	3.63	0.00	0%	NA	NA	NA	NA	1.90	1.88	-0.02	-1%
44365		S bowel endoscope/hot biopsy	3.21	3.21	0.00	0%	NA	NA	NA	NA	1.71	1.69	-0.02	-1%
44366		S bowel endoscope/ctrl bleeding	4.30	4.30	0.00	0%	NA	NA	NA	NA	2.18	2.17	-0.01	0%
44369		Small bowel endoscopy/ablate	4.41	4.41	0.00	0%	NA	NA	NA	NA	2.23	2.22	-0.01	0%
44370		Small bowel endoscopy/stent	4.69	4.69	0.00	0%	NA	NA	NA	NA	2.46	2.49	0.03	1%
44372		S bowel endoscope/place J-tube	4.30	4.30	0.00	0%	NA	NA	NA	NA	2.12	2.10	-0.02	-1%
44373		S bowel endoscope/convert J-tube	3.39	3.39	0.00	0%	NA	NA	NA	NA	1.75	1.73	-0.02	-1%
44376		S bowel endoscopy, enteroscopy	5.15	5.15	0.00	0%	NA	NA	NA	NA	2.50	2.51	0.01	0%
44377		S bowel endoscopy, enteroscopy/bx	5.42	5.42	0.00	0%	NA	NA	NA	NA	2.64	2.63	-0.01	0%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Work RVU	2020 Final Work RVU	Work RVU Difference	Work RVU % Change	2019 Non-Facility PE RVU	2020 Final Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2019 Facility PE RVUs	2020 Final Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
44378		S bowel endoscope/ctrl bleeding	7.02	7.02	0.00	0%	NA	NA	NA	NA	3.37	3.35	-0.02	-1%
44379		S bowel endoscope, enteroscopy/stent	7.36	7.36	0.00	0%	NA	NA	NA	NA	3.68	3.65	-0.03	-1%
44380		Ileoscopy thru stoma	0.87	0.87	0.00	0%	3.99	4.24	0.25	6%	0.66	0.65	-0.01	-2%
44381		Small bowel endoscopy br/wa	1.38	1.38	0.00	0%	25.51	26.34	0.83	3%	0.87	0.86	-0.01	-1%
44382		Ileoscopy thru stoma/biopsy	1.17	1.17	0.00	0%	6.47	6.84	0.37	6%	0.81	0.80	-0.01	-1%
44384		Small bowel endoscopy	2.85	2.85	0.00	0%	NA	NA	NA	NA	1.29	1.25	-0.04	-3%
44385		Endoscopy of bowel pouch	1.20	1.20	0.00	0%	4.23	4.36	0.13	3%	0.72	0.73	0.01	1%
44386		Endoscopy bowel pouch/biop	1.50	1.50	0.00	0%	6.65	6.86	0.21	3%	0.89	0.89	0.00	0%
44388		C-stoma	2.72	2.72	0.00	0%	5.27	5.57	0.30	6%	1.41	1.40	-0.01	-1%
44388	53	C-stoma	1.36	1.36	0.00	0%	4.73	3.55	-1.18	-25%	0.86	0.71	-0.15	-17%
44389		C-stoma with biopsy	3.02	3.02	0.00	0%	7.63	8.03	0.40	5%	1.57	1.56	-0.01	-1%
44390		C-stoma for foreign body	3.74	3.74	0.00	0%	6.74	7.08	0.34	5%	1.95	1.93	-0.02	-1%
44391		C-stoma for bleeding	4.12	4.12	0.00	0%	14.67	14.69	0.02	0%	2.07	2.07	0.00	0%
44392		C-stoma & polypectomy	3.53	3.53	0.00	0%	6.16	6.52	0.36	6%	1.73	1.72	-0.01	-1%
44394		C-stoma w/snare	4.03	4.03	0.00	0%	7.18	7.57	0.39	5%	1.99	1.98	-0.01	-1%
44401		C-stoma with ablation	4.34	4.34	0.00	0%	81.25	75.42	-5.83	-7%	2.12	2.19	0.07	3%
44402		C-stoma w/stent plcmt	4.70	4.70	0.00	0%	NA	NA	NA	NA	2.36	2.35	-0.01	0%
44403		C-stoma w/resection	5.50	5.50	0.00	0%	NA	NA	NA	NA	2.68	2.69	0.01	0%
44404		C-stoma w/injection	3.02	3.02	0.00	0%	7.36	7.98	0.62	8%	1.59	1.57	-0.02	-1%
44405		C-stoma w/dilation	3.23	3.23	0.00	0%	11.92	12.33	0.41	3%	1.72	1.70	-0.02	-1%
44406		C-stoma w/ultrasound	4.10	4.10	0.00	0%	NA	NA	NA	NA	2.10	2.08	-0.02	-1%
44407		C-stoma w/ndl aspir/bx	4.96	4.96	0.00	0%	NA	NA	NA	NA	2.48	2.46	-0.02	-1%
44408		C-stoma w/decompression	4.14	4.14	0.00	0%	NA	NA	NA	NA	2.11	2.10	-0.01	0%
45330		Diagnostic sigmoidoscopy	0.84	0.84	0.00	0%	3.92	4.03	0.11	3%	0.67	0.66	-0.01	-1%
45331		Sigmoidoscopy and biopsy	1.14	1.14	0.00	0%	6.31	6.56	0.25	4%	0.79	0.79	0.00	0%
45332		Sigmoidoscopy w/fb removal	1.76	1.76	0.00	0%	5.34	5.54	0.20	4%	1.04	1.04	0.00	0%
45333		Sigmoidoscopy & polypectomy	1.55	1.55	0.00	0%	6.88	7.15	0.27	4%	0.94	0.94	0.00	0%
45334		Sigmoidoscopy for bleeding	2.00	2.00	0.00	0%	13.10	12.80	-0.30	-2%	1.17	1.15	-0.02	-2%
45335		Sigmoidoscopy w/submuc inj	1.04	1.04	0.00	0%	5.96	6.41	0.45	8%	0.74	0.74	0.00	0%
45337		Sigmoidoscopy & decompress	2.10	2.10	0.00	0%	NA	NA	NA	NA	0.96	0.97	0.01	1%
45338		Sigmoidoscopy w/tumr remove	2.05	2.05	0.00	0%	5.55	5.76	0.21	4%	1.17	1.16	-0.01	-1%
45340		Sig w/balloon dilation	1.25	1.25	0.00	0%	11.19	11.51	0.32	3%	0.83	0.83	0.00	0%
45341		Sigmoidoscopy w/ultrasound	2.12	2.12	0.00	0%	NA	NA	NA	NA	1.22	1.21	-0.01	-1%
45342		Sigmoidoscopy w/us guide bx	2.98	2.98	0.00	0%	NA	NA	NA	NA	1.61	1.59	-0.02	-1%
45346		Sigmoidoscopy w/ablation	2.81	2.81	0.00	0%	79.17	75.13	-4.04	-5%	1.51	1.49	-0.02	-1%
45347		Sigmoidoscopy w/plcmt stent	2.72	2.72	0.00	0%	NA	NA	NA	NA	1.44	1.42	-0.02	-1%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Work RVU	2020 Final Work RVU	Work RVU Difference	Work RVU % Change	2019 Non-Facility PE RVU	2020 Final Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2019 Facility PE RVUs	2020 Final Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
45349		Sigmoidoscopy w/resection	3.52	3.52	0.00	0%	NA	NA	NA	NA	1.83	1.82	-0.01	-1%
45350		Sgmdsc w/band ligation	1.68	1.68	0.00	0%	14.47	15.91	1.44	10%	1.02	1.02	0.00	0%
45378		Diagnostic colonoscopy	3.26	3.26	0.00	0%	5.46	5.75	0.29	5%	1.69	1.68	-0.01	-1%
45378	53	Diagnostic colonoscopy	1.63	1.63	0.00	0%	4.78	3.56	-1.22	-26%	1.00	0.84	-0.16	-16%
45379		Colonoscopy w/fb removal	4.28	4.28	0.00	0%	6.99	7.36	0.37	5%	2.13	2.12	-0.01	0%
45380		Colonoscopy and biopsy	3.56	3.56	0.00	0%	7.76	8.16	0.40	5%	1.84	1.82	-0.02	-1%
45381		Colonoscopy submucous inj	3.56	3.56	0.00	0%	7.49	8.07	0.58	8%	1.84	1.82	-0.02	-1%
45382		Colonoscopy/control bleeding	4.66	4.66	0.00	0%	14.96	14.85	-0.11	-1%	2.32	2.31	-0.01	0%
45384		Lesion remove colonoscopy	4.07	4.07	0.00	0%	8.44	8.90	0.46	5%	1.99	1.97	-0.02	-1%
45385		Lesion removal colonoscopy	4.57	4.57	0.00	0%	7.20	7.58	0.38	5%	2.27	2.26	-0.01	0%
45386		Colonoscopy dilate stricture	3.77	3.77	0.00	0%	12.72	13.20	0.48	4%	1.92	1.90	-0.02	-1%
45388		Colonoscopy w/ablation	4.88	4.88	0.00	0%	81.30	77.42	-3.88	-5%	2.36	2.35	-0.01	0%
45389		Colonoscopy w/stent plcmt	5.24	5.24	0.00	0%	NA	NA	NA	NA	2.54	2.53	-0.01	0%
45390		Colonoscopy w/resection	6.04	6.04	0.00	0%	NA	NA	NA	NA	2.93	2.92	-0.01	0%
45391		Colonoscopy w/endoscope us	4.64	4.64	0.00	0%	NA	NA	NA	NA	2.32	2.30	-0.02	-1%
45392		Colonoscopy w/endoscopic fnb	5.50	5.50	0.00	0%	NA	NA	NA	NA	2.71	2.68	-0.03	-1%
45393		Colonoscopy w/decompression	4.68	4.68	0.00	0%	NA	NA	NA	NA	2.06	2.05	-0.01	0%
45398		Colonoscopy w/band ligation	4.20	4.20	0.00	0%	16.00	17.55	1.55	10%	2.01	2.01	0.00	0%
74261		Ct colonography dx	2.40	2.40	0.00	0%	11.02	10.91	-0.11	-1%	NA	NA	NA	NA
74261	TC	Ct colonography dx	0.00	0.00	0.00	0%	10.14	10.02	-0.12	-1%	NA	NA	NA	NA
74261	26	Ct colonography dx	2.40	2.40	0.00	0%	0.88	0.89	0.01	1%	0.88	0.89	0.01	1%
74262		Ct colonography dx w/dye	2.50	2.50	0.00	0%	12.59	12.48	-0.11	-1%	NA	NA	NA	NA
74262	TC	Ct colonography dx w/dye	0.00	0.00	0.00	0%	11.67	11.55	-0.12	-1%	NA	NA	NA	NA
74262	26	Ct colonography dx w/dye	2.50	2.50	0.00	0%	0.92	0.93	0.01	1%	0.92	0.93	0.01	1%
74263		Ct colonography screening	2.28	2.28	0.00	0%	18.93	18.76	-0.17	-1%	NA	NA	NA	NA
74263	TC	Ct colonography screening	0.00	0.00	0.00	0%	18.06	17.88	-0.18	-1%	NA	NA	NA	NA
74263	26	Ct colonography screening	2.28	2.28	0.00	0%	0.87	0.88	0.01	1%	0.87	0.88	0.01	1%
88304		Tissue exam by pathologist	0.22	0.22	0.00	0%	0.90	0.92	0.02	2%	NA	NA	NA	NA
88304	TC	Tissue exam by pathologist	0.00	0.00	0.00	0%	0.80	0.82	0.02	2%	NA	NA	NA	NA
88304	26	Tissue exam by pathologist	0.22	0.22	0.00	0%	0.10	0.10	0.00	0%	0.10	0.10	0.00	0%
88305		Tissue exam by pathologist	0.75	0.75	0.00	0%	1.17	1.21	0.04	3%	NA	NA	NA	NA
88305	TC	Tissue exam by pathologist	0.00	0.00	0.00	0%	0.84	0.88	0.04	5%	NA	NA	NA	NA
88305	26	Tissue exam by pathologist	0.75	0.75	0.00	0%	0.33	0.33	0.00	0%	0.33	0.33	0.00	0%
91010		Esophagus motility study	1.28	1.28	0.00	0%	4.01	4.34	0.33	8%	NA	NA	NA	NA
91010	TC	Esophagus motility study	0.00	0.00	0.00	0%	3.46	3.79	0.33	10%	NA	NA	NA	NA
91010	26	Esophagus motility study	1.28	1.28	0.00	0%	0.55	0.55	0.00	0%	0.55	0.55	0.00	0%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Work RVU	2020 Final Work RVU	Work RVU Difference	Work RVU % Change	2019 Non-Facility PE RVU	2020 Final Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2019 Facility PE RVUs	2020 Final Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
91013		Esophgl motil w/stim/perfus	0.18	0.18	0.00	0%	0.54	0.54	0.00	0%	NA	NA	NA	NA
91013	TC	Esophgl motil w/stim/perfus	0.00	0.00	0.00	0%	0.46	0.46	0.00	0%	NA	NA	NA	NA
91013	26	Esophgl motil w/stim/perfus	0.18	0.18	0.00	0%	0.08	0.08	0.00	0%	0.08	0.08	0.00	0%
91020		Gastric motility studies	1.44	1.44	0.00	0%	5.49	5.84	0.35	6%	NA	NA	NA	NA
91020	TC	Gastric motility studies	0.00	0.00	0.00	0%	4.86	5.21	0.35	7%	NA	NA	NA	NA
91020	26	Gastric motility studies	1.44	1.44	0.00	0%	0.63	0.63	0.00	0%	0.63	0.63	0.00	0%
91022		Duodenal motility study	1.44	1.44	0.00	0%	3.27	3.26	-0.01	0%	NA	NA	NA	NA
91022	TC	Duodenal motility study	0.00	0.00	0.00	0%	2.64	2.63	-0.01	0%	NA	NA	NA	NA
91022	26	Duodenal motility study	1.44	1.44	0.00	0%	0.63	0.63	0.00	0%	0.63	0.63	0.00	0%
91030		Acid perfusion of esophagus	0.91	0.91	0.00	0%	2.95	2.98	0.03	1%	NA	NA	NA	NA
91030	TC	Acid perfusion of esophagus	0.00	0.00	0.00	0%	2.55	2.58	0.03	1%	NA	NA	NA	NA
91030	26	Acid perfusion of esophagus	0.91	0.91	0.00	0%	0.40	0.40	0.00	0%	0.40	0.40	0.00	0%
91034		Gastroesophageal reflux test	0.97	0.97	0.00	0%	4.34	4.37	0.03	1%	NA	NA	NA	NA
91034	TC	Gastroesophageal reflux test	0.00	0.00	0.00	0%	3.93	3.96	0.03	1%	NA	NA	NA	NA
91034	26	Gastroesophageal reflux test	0.97	0.97	0.00	0%	0.41	0.41	0.00	0%	0.41	0.41	0.00	0%
91035		G-esoph reflx tst w/electrod	1.59	1.59	0.00	0%	11.96	12.00	0.04	0%	NA	NA	NA	NA
91035	TC	G-esoph reflx tst w/electrod	0.00	0.00	0.00	0%	11.29	11.33	0.04	0%	NA	NA	NA	NA
91035	26	G-esoph reflx tst w/electrod	1.59	1.59	0.00	0%	0.67	0.67	0.00	0%	0.67	0.67	0.00	0%
91037		Esoph imped function test	0.97	0.97	0.00	0%	3.62	3.68	0.06	2%	NA	NA	NA	NA
91037	TC	Esoph imped function test	0.00	0.00	0.00	0%	3.20	3.27	0.07	2%	NA	NA	NA	NA
91037	26	Esoph imped function test	0.97	0.97	0.00	0%	0.42	0.41	-0.01	-2%	0.42	0.41	-0.01	-2%
91038		Esoph imped funct test > 1hr	1.10	1.10	0.00	0%	11.40	11.29	-0.11	-1%	NA	NA	NA	NA
91038	TC	Esoph imped funct test > 1hr	0.00	0.00	0.00	0%	10.92	10.82	-0.10	-1%	NA	NA	NA	NA
91038	26	Esoph imped funct test > 1hr	1.10	1.10	0.00	0%	0.48	0.47	-0.01	-2%	0.48	0.47	-0.01	-2%
91040		Esoph balloon distension tst	0.97	0.97	0.00	0%	12.48	13.34	0.86	7%	NA	NA	NA	NA
91040	TC	Esoph balloon distension tst	0.00	0.00	0.00	0%	12.09	12.93	0.84	7%	NA	NA	NA	NA
91040	26	Esoph balloon distension tst	0.97	0.97	0.00	0%	0.39	0.41	0.02	5%	0.39	0.41	0.02	5%
91065		Breath hydrogen/methane test	0.20	0.20	0.00	0%	1.91	2.04	0.13	7%	NA	NA	NA	NA
91065	TC	Breath hydrogen/methane test	0.00	0.00	0.00	0%	1.83	1.96	0.13	7%	NA	NA	NA	NA
91065	26	Breath hydrogen/methane test	0.20	0.20	0.00	0%	0.08	0.08	0.00	0%	0.08	0.08	0.00	0%
91110		Gi tract capsule endoscopy	2.49	2.49	0.00	0%	22.37	21.78	-0.59	-3%	NA	NA	NA	NA
91110	TC	Gi tract capsule endoscopy	0.00	0.00	0.00	0%	21.29	20.70	-0.59	-3%	NA	NA	NA	NA
91110	26	Gi tract capsule endoscopy	2.49	2.49	0.00	0%	1.08	1.08	0.00	0%	1.08	1.08	0.00	0%
91111		Esophageal capsule endoscopy	1.00	1.00	0.00	0%	21.82	23.42	1.60	7%	NA	NA	NA	NA
91111	TC	Esophageal capsule endoscopy	0.00	0.00	0.00	0%	21.38	22.99	1.61	8%	NA	NA	NA	NA
91111	26	Esophageal capsule endoscopy	1.00	1.00	0.00	0%	0.44	0.43	-0.01	-2%	0.44	0.43	-0.01	-2%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Work RVU	2020 Final Work RVU	Work RVU Difference	Work RVU % Change	2019 Non-Facility PE RVU	2020 Final Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2019 Facility PE RVUs	2020 Final Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
91112		Gi wireless capsule measure	2.10	2.10	0.00	0%	33.61	38.80	5.19	15%	NA	NA	NA	NA
91112	TC	Gi wireless capsule measure	0.00	0.00	0.00	0%	32.70	37.89	5.19	16%	NA	NA	NA	NA
91112	26	Gi wireless capsule measure	2.10	2.10	0.00	0%	0.91	0.91	0.00	0%	0.91	0.91	0.00	0%
91117		Colon motility 6 hr study	2.45	2.45	0.00	0%	NA	NA	NA	NA	1.34	1.32	-0.02	-1%
91120		Rectal sensation test	0.97	0.97	0.00	0%	11.89	12.76	0.87	7%	NA	NA	NA	NA
91120	TC	Rectal sensation test	0.00	0.00	0.00	0%	11.50	12.37	0.87	8%	NA	NA	NA	NA
91120	26	Rectal sensation test	0.97	0.97	0.00	0%	0.39	0.39	0.00	0%	0.39	0.39	0.00	0%
91122		Anal pressure record	1.77	1.77	0.00	0%	4.94	5.25	0.31	6%	NA	NA	NA	NA
91122	TC	Anal pressure record	0.00	0.00	0.00	0%	4.25	4.56	0.31	7%	NA	NA	NA	NA
91122	26	Anal pressure record	1.77	1.77	0.00	0%	0.69	0.69	0.00	0%	0.69	0.69	0.00	0%
91132		Electrogastrography	0.52	0.52	0.00	0%	6.25	8.61	2.36	38%	NA	NA	NA	NA
91132	TC	Electrogastrography	0.00	0.00	0.00	0%	6.02	8.38	2.36	39%	NA	NA	NA	NA
91132	26	Electrogastrography	0.52	0.52	0.00	0%	0.23	0.23	0.00	0%	0.23	0.23	0.00	0%
91133		Electrogastrography w/test	0.66	0.66	0.00	0%	6.73	9.13	2.40	36%	NA	NA	NA	NA
91133	TC	Electrogastrography w/test	0.00	0.00	0.00	0%	6.44	8.84	2.40	37%	NA	NA	NA	NA
91133	26	Electrogastrography w/test	0.66	0.66	0.00	0%	0.29	0.29	0.00	0%	0.29	0.29	0.00	0%
91200		Liver elastography	0.27	0.27	0.00	0%	0.81	0.76	-0.05	-6%	NA	NA	NA	NA
91200	TC	Liver elastography	0.00	0.00	0.00	0%	0.69	0.64	-0.05	-7%	NA	NA	NA	NA
91200	26	Liver elastography	0.27	0.27	0.00	0%	0.12	0.12	0.00	0%	0.12	0.12	0.00	0%
96360		Hydration iv infusion init	0.17	0.17	0.00	0%	0.88	0.77	-0.11	-13%	NA	NA	NA	NA
96361		Hydrate iv infusion add-on	0.09	0.09	0.00	0%	0.28	0.28	0.00	0%	NA	NA	NA	NA
96365		Ther/proph/diag iv inf init	0.21	0.21	0.00	0%	1.77	1.74	-0.03	-2%	NA	NA	NA	NA
96366		Ther/proph/diag iv inf addon	0.18	0.18	0.00	0%	0.42	0.42	0.00	0%	NA	NA	NA	NA
96367		Tx/proph/dg addl seq iv inf	0.19	0.19	0.00	0%	0.67	0.66	-0.01	-1%	NA	NA	NA	NA
96368		Ther/diag concurrent inf	0.17	0.17	0.00	0%	0.41	0.41	0.00	0%	NA	NA	NA	NA
96369		Sc ther infusion up to 1 hr	0.21	0.21	0.00	0%	4.46	4.26	-0.20	-4%	NA	NA	NA	NA
96370		Sc ther infusion addl hr	0.18	0.18	0.00	0%	0.25	0.24	-0.01	-4%	NA	NA	NA	NA
96371		Sc ther infusion reset pump	0.00	0.00	0.00	0%	1.84	1.79	-0.05	-3%	NA	NA	NA	NA
96372		Ther/proph/diag inj sc/im	0.17	0.17	0.00	0%	0.29	0.22	-0.07	-24%	NA	NA	NA	NA
96413		Chemo iv infusion 1 hr	0.28	0.28	0.00	0%	3.61	3.58	-0.03	-1%	NA	NA	NA	NA
96415		Chemo iv infusion addl hr	0.19	0.19	0.00	0%	0.65	0.64	-0.01	-2%	NA	NA	NA	NA
96570		Photodynmc tx 30 min add-on	1.10	1.10	0.00	0%	0.30	0.34	0.04	13%	0.30	0.34	0.04	13%
96571		Photodynamic tx addl 15 min	0.55	0.55	0.00	0%	0.24	0.15	-0.09	-38%	0.24	0.15	-0.09	-38%
G0104		Ca screen;flexi sigmoidscope	0.84	0.84	0.00	0%	3.92	4.03	0.11	3%	0.67	0.66	-0.01	-1%
G0105		Colorectal scrn; hi risk ind	3.26	3.26	0.00	0%	5.46	5.75	0.29	5%	1.69	1.68	-0.01	-1%
G0105	53	Colorectal scrn; hi risk ind	1.63	1.63	0.00	0%	4.78	3.56	-1.22	-26%	1.00	0.84	-0.16	-16%

### 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Work RVU	2020 Final Work RVU	Work RVU Difference	Work RVU % Change	2019 Non-Facility PE RVU	2020 Final Non-Facility PE RVU	Non-Facility PE RVU Difference	Non-Facility PE RVU % Change	2019 Facility PE RVUs	2020 Final Facility PE RVUs	Facility PE RVU Difference	Facility PE RVU % Change
G0121		Colon ca scrn not hi rsk ind	3.26	3.26	0.00	0%	5.46	5.75	0.29	5%	1.69	1.68	-0.01	-1%
G0121	53	Colon ca scrn not hi rsk ind	1.63	1.63	0.00	0%	8.73	6.78	-1.95	-22%	0.70	0.84	0.14	20%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Malpractice RVU	2020 Final Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
43197		Esophagoscopy flex dx brush	0.25	0.25	0.00	0%
43198		Esophagosc flex trnsn biopy	0.27	0.26	-0.01	-4%
43200		Esophagoscopy flexible brush	0.22	0.21	-0.01	-5%
43201		Esoph scope w/submucous inj	0.25	0.24	-0.01	-4%
43202		Esophagoscopy flex biopsy	0.25	0.23	-0.02	-8%
43204		Esoph scope w/sclerosis inj	0.30	0.26	-0.04	-13%
43205		Esophagus endoscopy/ligation	0.32	0.27	-0.05	-16%
43206		Esoph optical endomicroscopy	0.30	0.25	-0.05	-17%
43210		Egd esophagogastrc fndoplsty	1.29	1.26	-0.03	-2%
43211		Esophagoscop mucosal resect	0.59	0.44	-0.15	-25%
43212		Esophagoscop stent placement	0.60	0.56	-0.04	-7%
43213		Esophagoscopy retro balloon	0.67	0.64	-0.03	-4%
43214		Esophagosc dilate balloon 30	0.47	0.41	-0.06	-13%
43215		Esophagoscopy flex remove fb	0.40	0.35	-0.05	-13%
43216		Esophagoscopy lesion removal	0.27	0.27	0.00	0%
43217		Esophagoscopy snare les rmv	0.41	0.30	-0.11	-27%
43220		Esophagoscopy balloon <30mm	0.28	0.26	-0.02	-7%
43226		Esoph endoscopy dilation	0.36	0.32	-0.04	-11%
43227		Esophagoscopy control bleed	0.39	0.32	-0.07	-18%
43229		Esophagoscopy lesion ablate	0.47	0.42	-0.05	-11%
43231		Esophagoscop ultrasound exam	0.33	0.28	-0.05	-15%
43232		Esophagoscopy w/us needle bx	0.42	0.35	-0.07	-17%
43235		Egd diagnostic brush wash	0.28	0.26	-0.02	-7%
43233		Egd balloon dil esoph30 mm/>	0.61	0.57	-0.04	-7%
43236		Uppr gi scope w/submuc inj	0.32	0.27	-0.05	-16%
43237		Endoscopic us exam esoph	0.44	0.37	-0.07	-16%
43238		Egd us fine needle bx/aspir	0.53	0.44	-0.09	-17%
43239		Egd biopsy single/multiple	0.32	0.28	-0.04	-13%
43240		Egd w/transmural drain cyst	0.92	0.78	-0.14	-15%
43241		Egd tube/cath insertion	0.35	0.28	-0.07	-20%
43242		Egd us fine needle bx/aspir	0.59	0.49	-0.10	-17%
43243		Egd injection varices	0.56	0.48	-0.08	-14%
43244		Egd varices ligation	0.55	0.47	-0.08	-15%
43245		Egd dilate stricture	0.45	0.41	-0.04	-9%
43246		Egd place gastrostomy tube	0.55	0.51	-0.04	-7%
43247		Egd remove foreign body	0.43	0.38	-0.05	-12%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Malpractice RVU	2020 Final Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
43248		Egd guide wire insertion	0.38	0.32	-0.06	-16%
43249		Esoph egd dilation <30 mm	0.36	0.31	-0.05	-14%
43250		Egd cautery tumor polyp	0.46	0.44	-0.02	-4%
43251		Egd remove lesion snare	0.46	0.40	-0.06	-13%
43252		Egd optical endomicroscopy	0.42	0.37	-0.05	-12%
43253		Egd us transmural injxn/mark	0.60	0.51	-0.09	-15%
43254		Egd endo mucosal resection	0.62	0.52	-0.10	-16%
43255		Egd control bleeding any	0.45	0.39	-0.06	-13%
43257		Egd w/thrml txmnt gerd	0.58	0.53	-0.05	-9%
43259		Egd us exam duodenum/jejunum	0.50	0.43	-0.07	-14%
43266		Egd endoscopic stent place	0.56	0.48	-0.08	-14%
43270		Egd lesion ablation	0.51	0.44	-0.07	-14%
43260		Ercp w/specimen collection	0.74	0.62	-0.12	-16%
43261		Endo cholangiopancreatograph	0.78	0.64	-0.14	-18%
43262		Endo cholangiopancreatograph	0.81	0.67	-0.14	-17%
43263		Ercp sphincter pressure meas	0.83	0.67	-0.16	-19%
43264		Ercp remove duct calculi	0.83	0.68	-0.15	-18%
43265		Ercp lithotripsy calculi	1.00	0.84	-0.16	-16%
43273		Endoscopic pancreatoscopy	0.28	0.25	-0.03	-11%
43274		Ercp duct stent placement	1.08	0.90	-0.18	-17%
43275		Ercp remove forgn body duct	0.88	0.73	-0.15	-17%
43276		Ercp stent exchange w/dilate	1.12	0.92	-0.20	-18%
43277		Ercp ea duct/ampulla dilate	0.87	0.73	-0.14	-16%
43278		Ercp lesion ablate w/dilate	1.00	0.85	-0.15	-15%
44360		Small bowel endoscopy	0.32	0.27	-0.05	-16%
44361		Small bowel endoscopy/biopsy	0.36	0.30	-0.06	-17%
44363		S bowel endoscope/foreign body	0.46	0.39	-0.07	-15%
44364		Small bowel endoscopy/snare	0.46	0.39	-0.07	-15%
44365		S bowel endoscope/hot biopsy	0.40	0.34	-0.06	-15%
44366		S bowel endoscope/ctrl bleeding	0.54	0.46	-0.08	-15%
44369		Small bowel endoscopy/ablate	0.55	0.47	-0.08	-15%
44370		Small bowel endoscopy/stent	0.65	0.51	-0.14	-22%
44372		S bowel endoscope/place J-tube	0.60	0.53	-0.07	-12%
44373		S bowel endoscope/convert J-tube	0.48	0.43	-0.05	-10%
44376		S bowel endoscopy, enteroscopy	0.67	0.54	-0.13	-19%
44377		S bowel endoscopy, enteroscopy/bx	0.71	0.58	-0.13	-18%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Malpractice RVU	2020 Final Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
44378		S bowel endoscope/ctrl bleeding	0.88	0.73	-0.15	-17%
44379		S bowel endoscope, enteroscopy/stent	0.95	0.79	-0.16	-17%
44380		Ileoscopy thru stoma	0.11	0.09	-0.02	-18%
44381		Small bowel endoscopy br/wa	0.19	0.16	-0.03	-16%
44382		Ileoscopy thru stoma/biopsy	0.16	0.13	-0.03	-19%
44384		Small bowel endoscopy	0.33	0.34	0.01	3%
44385		Endoscopy of bowel pouch	0.17	0.15	-0.02	-12%
44386		Endoscopy bowel pouch/biop	0.21	0.18	-0.03	-14%
44388		C-stoma	0.43	0.40	-0.03	-7%
44388	53	C-stoma	0.19	0.18	-0.01	-5%
44389		C-stoma with biopsy	0.43	0.39	-0.04	-9%
44390		C-stoma for foreign body	0.48	0.40	-0.08	-17%
44391		C-stoma for bleeding	0.52	0.46	-0.06	-12%
44392		C-stoma & polypectomy	0.56	0.53	-0.03	-5%
44394		C-stoma w/snare	0.58	0.51	-0.07	-12%
44401		C-stoma with ablation	0.63	0.47	-0.16	-25%
44402		C-stoma w/stent plcmt	0.60	0.51	-0.09	-15%
44403		C-stoma w/resection	0.71	0.58	-0.13	-18%
44404		C-stoma w/injection	0.42	0.38	-0.04	-10%
44405		C-stoma w/dilation	0.42	0.35	-0.07	-17%
44406		C-stoma w/ultrasound	0.53	0.44	-0.09	-17%
44407		C-stoma w/ndl aspir/bx	0.64	0.53	-0.11	-17%
44408		C-stoma w/decompression	0.53	0.44	-0.09	-17%
45330		Diagnostic sigmoidoscopy	0.12	0.11	-0.01	-8%
45331		Sigmoidoscopy and biopsy	0.15	0.13	-0.02	-13%
45332		Sigmoidoscopy w/fb removal	0.26	0.24	-0.02	-8%
45333		Sigmoidoscopy & polypectomy	0.24	0.22	-0.02	-8%
45334		Sigmoidoscopy for bleeding	0.27	0.23	-0.04	-15%
45335		Sigmoidoscopy w/submuc inj	0.15	0.13	-0.02	-13%
45337		Sigmoidoscopy & decompress	0.31	0.27	-0.04	-13%
45338		Sigmoidoscopy w/tumr remove	0.28	0.26	-0.02	-7%
45340		Sig w/balloon dilation	0.18	0.16	-0.02	-11%
45341		Sigmoidoscopy w/ultrasound	0.27	0.24	-0.03	-11%
45342		Sigmoidoscopy w/us guide bx	0.37	0.32	-0.05	-14%
45346		Sigmoidoscopy w/ablation	0.38	0.32	-0.06	-16%
45347		Sigmoidoscopy w/plcmt stent	0.36	0.30	-0.06	-17%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Malpractice RVU	2020 Final Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
45349		Sigmoidoscopy w/resection	0.45	0.39	-0.06	-13%
45350		Sgmdsc w/band ligation	0.24	0.22	-0.02	-8%
45378		Diagnostic colonoscopy	0.46	0.41	-0.05	-11%
45378	53	Diagnostic colonoscopy	0.23	0.19	-0.04	-17%
45379		Colonoscopy w/fb removal	0.59	0.51	-0.08	-14%
45380		Colonoscopy and biopsy	0.47	0.41	-0.06	-13%
45381		Colonoscopy submucous inj	0.47	0.41	-0.06	-13%
45382		Colonoscopy/control bleeding	0.60	0.51	-0.09	-15%
45384		Lesion remove colonoscopy	0.62	0.56	-0.06	-10%
45385		Lesion removal colonoscopy	0.61	0.52	-0.09	-15%
45386		Colonoscopy dilate stricture	0.51	0.44	-0.07	-14%
45388		Colonoscopy w/ablation	0.68	0.60	-0.08	-12%
45389		Colonoscopy w/stent plcmt	0.71	0.60	-0.11	-15%
45390		Colonoscopy w/resection	0.77	0.63	-0.14	-18%
45391		Colonoscopy w/endoscope us	0.59	0.49	-0.10	-17%
45392		Colonoscopy w/endoscopic fnb	0.70	0.60	-0.10	-14%
45393		Colonoscopy w/decompression	0.67	0.58	-0.09	-13%
45398		Colonoscopy w/band ligation	0.67	0.62	-0.05	-7%
74261		Ct colonography dx	0.16	0.13	-0.03	-19%
74261	TC	Ct colonography dx	0.02	0.02	0.00	0%
74261	26	Ct colonography dx	0.14	0.11	-0.03	-21%
74262		Ct colonography dx w/dye	0.16	0.13	-0.03	-19%
74262	TC	Ct colonography dx w/dye	0.02	0.02	0.00	0%
74262	26	Ct colonography dx w/dye	0.14	0.11	-0.03	-21%
74263		Ct colonography screening	0.09	0.11	0.02	22%
74263	TC	Ct colonography screening	0.02	0.02	0.00	0%
74263	26	Ct colonography screening	0.07	0.09	0.02	29%
88304		Tissue exam by pathologist	0.02	0.02	0.00	0%
88304	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
88304	26	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305		Tissue exam by pathologist	0.03	0.02	-0.01	-33%
88305	TC	Tissue exam by pathologist	0.01	0.01	0.00	0%
88305	26	Tissue exam by pathologist	0.02	0.01	-0.01	-50%
91010		Esophagus motility study	0.09	0.08	-0.01	-11%
91010	TC	Esophagus motility study	0.01	0.02	0.01	100%
91010	26	Esophagus motility study	0.08	0.06	-0.02	-25%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Malpractice RVU	2020 Final Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
91013		Esophgl motil w/stim/perfus	0.01	0.01	0.00	0%
91013	TC	Esophgl motil w/stim/perfus	0.00	0.00	0.00	0%
91013	26	Esophgl motil w/stim/perfus	0.01	0.01	0.00	0%
91020		Gastric motility studies	0.08	0.07	-0.01	-13%
91020	TC	Gastric motility studies	0.02	0.02	0.00	0%
91020	26	Gastric motility studies	0.06	0.05	-0.01	-17%
91022		Duodenal motility study	0.08	0.07	-0.01	-13%
91022	TC	Duodenal motility study	0.02	0.02	0.00	0%
91022	26	Duodenal motility study	0.06	0.05	-0.01	-17%
91030		Acid perfusion of esophagus	0.05	0.05	0.00	0%
91030	TC	Acid perfusion of esophagus	0.01	0.02	0.01	100%
91030	26	Acid perfusion of esophagus	0.04	0.03	-0.01	-25%
91034		Gastroesophageal reflux test	0.08	0.07	-0.01	-13%
91034	TC	Gastroesophageal reflux test	0.01	0.01	0.00	0%
91034	26	Gastroesophageal reflux test	0.07	0.06	-0.01	-14%
91035		G-esoph reflx tst w/electrod	0.13	0.12	-0.01	-8%
91035	TC	G-esoph reflx tst w/electrod	0.01	0.01	0.00	0%
91035	26	G-esoph reflx tst w/electrod	0.12	0.11	-0.01	-8%
91037		Esoph imped function test	0.07	0.06	-0.01	-14%
91037	TC	Esoph imped function test	0.01	0.01	0.00	0%
91037	26	Esoph imped function test	0.06	0.05	-0.01	-17%
91038		Esoph imped funct test > 1hr	0.06	0.06	0.00	0%
91038	TC	Esoph imped funct test > 1hr	0.01	0.01	0.00	0%
91038	26	Esoph imped funct test > 1hr	0.05	0.05	0.00	0%
91040		Esoph balloon distension tst	0.10	0.09	-0.01	-10%
91040	TC	Esoph balloon distension tst	0.01	0.01	0.00	0%
91040	26	Esoph balloon distension tst	0.09	0.08	-0.01	-11%
91065		Breath hydrogen/methane test	0.02	0.02	0.00	0%
91065	TC	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91065	26	Breath hydrogen/methane test	0.01	0.01	0.00	0%
91110		Gi tract capsule endoscopy	0.12	0.10	-0.02	-17%
91110	TC	Gi tract capsule endoscopy	0.01	0.01	0.00	0%
91110	26	Gi tract capsule endoscopy	0.11	0.09	-0.02	-18%
91111		Esophageal capsule endoscopy	0.06	0.06	0.00	0%
91111	TC	Esophageal capsule endoscopy	0.01	0.01	0.00	0%
91111	26	Esophageal capsule endoscopy	0.05	0.05	0.00	0%

## 2020 MPFS Final Rule RVUs

CPT	Mod	Short Descriptor	2019 Malpractice RVU	2020 Final Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
91112		Gi wireless capsule measure	0.10	0.09	-0.01	-10%
91112	TC	Gi wireless capsule measure	0.01	0.01	0.00	0%
91112	26	Gi wireless capsule measure	0.09	0.08	-0.01	-11%
91117		Colon motility 6 hr study	0.17	0.15	-0.02	-12%
91120		Rectal sensation test	0.07	0.06	-0.01	-14%
91120	TC	Rectal sensation test	0.01	0.01	0.00	0%
91120	26	Rectal sensation test	0.06	0.05	-0.01	-17%
91122		Anal pressure record	0.14	0.11	-0.03	-21%
91122	TC	Anal pressure record	0.02	0.02	0.00	0%
91122	26	Anal pressure record	0.12	0.09	-0.03	-25%
91132		Electrogastrography	0.03	0.03	0.00	0%
91132	TC	Electrogastrography	0.01	0.01	0.00	0%
91132	26	Electrogastrography	0.02	0.02	0.00	0%
91133		Electrogastrography w/test	0.04	0.03	-0.01	-25%
91133	TC	Electrogastrography w/test	0.01	0.01	0.00	0%
91133	26	Electrogastrography w/test	0.03	0.02	-0.01	-33%
91200		Liver elastography	0.02	0.02	0.00	0%
91200	TC	Liver elastography	0.01	0.01	0.00	0%
91200	26	Liver elastography	0.01	0.01	0.00	0%
96360		Hydration iv infusion init	0.02	0.02	0.00	0%
96361		Hydrate iv infusion add-on	0.01	0.01	0.00	0%
96365		Ther/proph/diag iv inf init	0.04	0.05	0.01	25%
96366		Ther/proph/diag iv inf addon	0.01	0.01	0.00	0%
96367		Tx/proph/dg addl seq iv inf	0.02	0.02	0.00	0%
96368		Ther/diag concurrent inf	0.01	0.01	0.00	0%
96369		Sc ther infusion up to 1 hr	0.02	0.02	0.00	0%
96370		Sc ther infusion addl hr	0.01	0.01	0.00	0%
96371		Sc ther infusion reset pump	0.00	0.00	0.00	0%
96372		Ther/proph/diag inj sc/im	0.01	0.01	0.00	0%
96413		Chemo iv infusion 1 hr	0.08	0.09	0.01	13%
96415		Chemo iv infusion addl hr	0.02	0.02	0.00	0%
96570		Photodynmc tx 30 min add-on	0.08	0.19	0.11	138%
96571		Photodynamic tx addl 15 min	0.04	0.05	0.01	25%
G0104		Ca screen;flexi sigmoidscope	0.12	0.11	-0.01	-8%
G0105		Colorectal scrn; hi risk ind	0.45	0.40	-0.05	-11%
G0105	53	Colorectal scrn; hi risk ind	0.22	0.18	-0.04	-18%

**2020 MPFS Final Rule RVUs**

CPT	Mod	Short Descriptor	2019 Malpractice RVU	2020 Final Malpractice RVU	Malpractice RVU Difference	Malpractice RVU % Change
G0121		Colon ca scrn not hi rsk ind	0.46	0.42	-0.04	-9%
G0121	53	Colon ca scrn not hi rsk ind	0.25	0.19	-0.06	-24%